## **Forklift Seat Belt**

Seat Belts for Forklift - This guideline reason is to describe the Regulation necessities for the utilization of driver restraints or seatbelts on lift trucks. It is the employers' responsibility to be able to make sure that every machine, piece of equipment and device inside the workplace is chosen and utilized correctly and operated according to the manufacturer's directions.

With regards to their maintenance, inspection, fabrication, use and design Rough Terrain forklifts have to satisfy the guidelines of ANSI Standard ASME B56.6-1992.

Side boom tractors and mobile machine with a Rollover Protective Structure, or ROPS for short, must include seat belts which meet the requirements of the Society of Automotive Engineers, or SAE, Standard J386 JUN93, Operator Restraint System for Off-Road Work Machines. If whatever mobile equipment has seat belts required by law, the operator and subsequent passengers should make certain they utilize the belts each time the vehicle is in motion or engaged in operation because this could cause the machine to become unstable and hence, not safe.

When a seat belt or different driver restraint is needed on a lift truck.

While operating a forklift, the seat belt requirements would depend on a number of factors. Contributing factors to this determination might include whether or not the the lift truck is equipped with a Rollover Protective Structure, the kind of lift truck itself and the year the forklift was actually manufactured. The manufacturer's instructions and the requirements of the applicable standard are referenced in the Regulation.

With regards to <u>crwon parts</u> powered industrial forklifts, ANSI Standard ASME B56.1-1993 refers to a driver restraint device, enclosure or system. A driver restraint device, enclosure or system is designed to help the driver in lessening the danger of entrapment of the head and/or torso between the truck and the ground in the event of a tip over. The restraint device or system can consist of a seat belt, even though a seat belt is not essentially a part of such device or system.